



## INTUMESCENT DOOR SEALS

**Certificate number: FRPP454**

This is a product certificate to certify that

### ***LORIENT POLYPRODUCTS LTD***

Endeavour House  
Fairfax Road  
Heathfield Industrial Estate  
Newton Abbot  
Devon  
TQ12 6UD

Who manufacture the following intumescent seals:

### **Lorient Type 617 Sodium Silicate Intumescent Seal (including optional smoke seals)**

have satisfied the requirements of the SDP20 Intumescent Door Seal scheme. This includes the testing of products to **BS476: Part 22**, **BS EN1634-1: 2008** and **EN1363-1: 1999** the inspection of Factory Production Control and continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve the requisite fire resistance for FD30 & FD60 doors are detailed in the schedules referenced below.



Schedule number: FRPP454/S03  
Initial registration: 1 May 2008  
Revised: 10 August 2018  
Valid to: 31 December 2019  
Issue status: 7



175

Ian Woodhouse  
Director of Certification

---

IFC Certification Ltd  
20 Park Street, Princes Risborough, Buckinghamshire. England HP27 9AH  
Tel: +44 (0)1844 275500 Fax: +(0)1844 274002 E-mail: [info@ifccertification.com](mailto:info@ifccertification.com) Web: [www.ifccertification.com](http://www.ifccertification.com)  
Registered No: 4777898 England

The certificate and schedule are held in force by regular annual surveillance visits by IFC Certification and the reader or user should contact IFC Certification to validate its status. This certificate remains the property of IFC Certification and must be returned to them on demand.